

COMMERCIAL STACK WASHER/DRYER

Get the complete package in a single unit, combining our efficient dryers with the powerful performance of our industry-leading front load washers. Our line of stack washer/dryers are designed as vertical combinations that provide all of the power of Huebsch washers and dryers, while occupying only half of the floor space of a conventional washer and dryer setup. Plus, these stacked units allow you to use the same connections and hookups required as a standard washer and dryer, so you won't have to make changes to your installation.



Built for Reliable Performance

Huebsch's stack washer/dryer brings an innovative stacked concept that takes up half the floor space that a conventional washer and dryer does when situated side by side. The freestanding softmount design can be installed on all floor types or levels. Both washer and dryer have the same hookups and connections as a standard washer and dryer. No additional plumbing or electrical change is needed. Huebsch's stack washer/dryer combines heavy-duty construction with reliable operation proven to stand the test of time. They're designed with less moving parts for one reason: so you'll face fewer maintenance problems and less wear and tear down the road. Front load products have met every design standard to be 100% ADA compliant.

WASHER

- Rugged suspension system
- Industry leading 1200 RPM spin speed exerts 440 G-force extraction
- Durable stainless steel washtub
- Four-compartment soap dispenser
- Extra-wide 15.5" door opening and 180° door swing

DRYER

- Upfront lint filter easy to clean and secured
- Industry's largest door opening 2.06 sq. ft. (1914 cm²)
- Quiet, efficient blower system


Electronic Control



The Electronic Control keeps users informed throughout the wash process with cycle-status lights and a digital cycle countdown. Users also have the flexibility to control temperature, load type and soil levels, as well as options for prewash and/or additional rinse to achieve high levels of efficiency. Automatic (moisture-sens-ing) cycles come standard to prevent over-drying of your linens.

COMMERCIAL STACK WASHER/DRYER

SPECIFICATIONS		WASHER	DRYER
AVAILABLE CONTROLS		HEC Electronic	
MODELS	Gas	YTGE5ASP303NW21	
CAPACITY - lb (kg)		21.5 (9.5)	18 (8.2)
CYLINDER VOLUME - cu. Ft. (liters)		3.42 (96.8)	7.0 (198)
WIDTH - in (mm)		26.875 (683)	
DEPTH - in (mm)		27.73 (704)	
HEIGHT - in (mm)		78.17 (1986)	
SPIN SPEED - G-Force (RPM)		440 (1200)	N/A
MOTOR SIZE - HP (kw)		Variable Speed Induction 0.9 (0.67)	0.33 (0.25)
WATER CONSUMPTION PER CYCLE - g (l)		13.68 (51.8)	N/A
IWF (Water Factor)		4.0	N/A
IMEF (Modified Energy Factor)		2.20	N/A
AVAILABLE HEAT SOURCES		N/A	Gas
AVAILABLE HEATING ELEMENT (Electric W)		N/A	N/A
GAS INLET CONNECTION - in (mm)		N/A	3/8 (9.5)
GAS CONSUMPTION - BTU/Hr		N/A	22,500
EXHAUST OUTLET DIAMETER - in (mm)		N/A	4 (102)
EXHAUST AIRFLOW - cfm (liters/sec)		N/A	220 (105)
AVAILABLE WATER TEMPERATURES		3	N/A
AVAILABLE CYCLES		Heavy Duty, Normal Eco, Perm Press, Delicate, Rinse and Spin, Spin Only	Regular, Perm Press, Delicate, Time Dry, Quick Dry, Fluff Up
WATER PRESSURE - PSI (Bar)		20-120 (1.4/8.3)	N/A
CYCLE INDICATOR LIGHTS		Yes	
CYLINDER FINISH		Stainless Steel	Galvanized
AVAILABLE COLORS		White	
DOOR TYPE (Solid/Window)		Window	
ELECTRICAL REQUIREMENTS - (Voltage/Hz/Ph-Amp)		220-240/50/1	
NET WEIGHT - lb (kg)		350 (159)	
SHIPPING WEIGHT - lb (kg)		380 (172)	
SHIPPING WIDTH - in (mm)		30 (762)	
SHIPPING DEPTH - in (mm)		34 (864)	
SHIPPING HEIGHT - in (mm)		80 (2032)	
AVAILABLE AGENCY APPROVALS		cUL _{US}	Gas: cCSA _{US}



DIMENSIONS

A. OVERALL WIDTH - in (mm)	26.875 (683)
B. OVERALL DEPTH - in (mm)	27.73 (704)
C. OVERALL HEIGHT - in (mm)	78.17 (1986)
D. DOOR BOTTOM TO FLOOR - in (mm)	14.5 (368)
E. WASHER DOOR SWING - in (mm)	24 (610)
F. DRYER DOOR SWING - in (mm)	23.5 (597)

ADA Compliant

Note: Not all options are available for all models. Refer to the price list for the available models and options. Twelfth digit in model number indicates US or Canadian unit. C=Canada and T=US.

* Information shown applies to highest end control available.

For the most accurate information, the installation guide should be used for all design and construction purposes. Due to continuous product improvements, design and specifications subject to change without notice. The quality management system of Alliance Laundry Systems has been registered to ISO 9001.